G 7186 SCVi AutoDos

Fully integrated dishwashers in standard size

42 dB I Cutlery tray I ExtraComfort baskets I AutoDos I Miele@home



- Tested for the equivalent of 20 years' service life*
- Convenient, great results and perfect for everyday use – ExtraComfort baskets
- Convenient, efficient, sustainable – perfect results with automatic dispensing from PowerDisk
- More information options and modern domestic appliance networking – Miele@home
- QuickIntenseWash, superior cleaning and drying in under 60 min
- Completely dry – Miele AutoOpen drying

* During the development phase of the G 5000 and G 7000 dishwasher series, Miele tested models and core components in 5,600 wash cycles (= 280 wash cycles per year over a period of 20 years) in various programs. More at: mieleusa.com/20years

EAN: 4002516770794 / Material number: 12496990 /
Old Material Number: 21718662USA

General information	
Model number	G 7186 SCVi AutoDos
Manufacturer material number	12496990
EAN number	4002516770794
Marketing class	Gold
Type	
Fully integrated dishwashers	•
24 inch dishwasher	•
Design	
Fascia color	Stainless Steel.
Fascia panel version	Fully integrated fascia
Control type	Program selector buttons
Control panel	1-line plain text display
Display color	White
MultiLingua	•
Convenience	
Networking with Miele@home	•
Automatic dispensing with PowerDisk	•
Door closing aid	ComfortClose
Operating noise dB(A) re 1 pW	42
Countdown indicator	•
Delay start up to 24 hours	•
In-operation indicator	optical and acoustic
Display language selection	•
Smart Extras	
Fill levels	•
MobileStart	•
AI Diagnostics	•
Dishwashing Assistant	•
RemoteUpdate	•
AutoStart	•
Push notifications	•
Smart Home Integration	•
Smart Extras	
Alexa voice control	•
Google voice control	•
Efficiency	
Noise emissions in dB(A)	42
Proven hygiene	•
Hot water connection	•
Half load	•
Energy Star	•
Quality of results	
Fresh water dishwasher	•
AutoOpen drying	•
SensorDry	•

G 7186 SCVi AutoDos
Fully integrated dishwashers in standard size
42 dB | Cutlery tray | ExtraComfort baskets | AutoDos | Miele@home



EAN: 4002516770794 / Material number: 12496990 /
Old Material Number: 21718662USA

Water softener system	Uni. water softener to 70° dH, Economic salt consumption, Brilliant GlassCare
Active condensation drying	•
Perfect GlassCare	•
Wash programs	
QuickIntenseWash	•
China & Crystal	•
Pots & Pans	•
Automatic	•
SaniWash	•
Extra Quiet 39 dB(A)	•
Appliance care	•
Rinse out salt	•
Rinse & Hold	•
Dishwashing options	
AutoDos	•
BottleClean	•
IntenseZone	•
Express	•
Extra Clean	•
Extra dry	•
Baskets	
Cutlery loading	3D MultiFlex Tray
FlexCare glass holder	2
FlexCare cup rack	2
Basket design	ExtraComfort
MultiClip	•
FlexCare Glass & Bottle	•
XL-Assist	•
Safety	
Check filter saturation indicator	•
Hygiene info	•
Technical data	
Niche width min in in.(mm)	23 5/8 (600)
Niche width max in in.(mm)	23 5/8 (600)
Niche height min in in.(mm)	33 3/4 (855)
Niche height max in in.(mm)	36 1/4 (920)
Niche depth in in.(mm)	21 3/4 (550)
Appliance width in in.(mm)	23 5/8 (598)
Appliance height in in.(mm)	33 3/4 (855)
Appliance depth in in.(mm)	21 3/4 (550)
Appliance depth with door open in in.(cm)	47 1/2 (120.5)
Net weight in lbs. (kg)	106 (48.0)
Total connected load in kW	1.40
Voltage in V	120
Fuse rating in A	15
Number of phases	1


G 7186 SCVi AutoDos
Fully integrated dishwashers in standard size
42 dB I Cutlery tray I ExtraComfort baskets I AutoDos I Miele@home



EAN: 4002516770794 / Material number: 12496990 /
Old Material Number: 21718662USA

Electrical frequency standard	60
Length of water inlet hose in m	5 (1.50)
Length of water drain hose in m	5 (1.50)
Length of electrical wire in ft (m)	4 (1.20)
Standard accessories	
1 x PowerDisk	•
Voucher for 6 x PowerDisk	•
Available display languages	
Available display languages via MultiLingua	□□□□, deutsch, english (US), français (CA), português, español

G 7186 SCVi AutoDos
Fully integrated dishwashers in standard size
42 dB | Cutlery tray | ExtraComfort baskets | AutoDos | Miele@home



G7000, fully integrated dishwasher, XXL, 60cm (installation drawing)

1) Plinth height 35-155 mm, 2) Plinth height 100-220 mm, 3) Appliance height max. 970 mm with plinth height conversion kit (Mat.-Nr. 6.394.761),